3Sixty5 Turf Fungicide

Date of Issue: May 19th, 2011



1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND SUPPLIER

Product name: 3Sixty5™ Turf Fungicide

Other names: None
UVP: 6540694
Chemical group: Dicarboximide
Recommended use: Fungicide
Formulation: Suspo-emulsion

Supplier: Bayer Environmental Science – A Business Group of Bayer CropScience Pty Ltd

ABN 87 000 226 022

Address: 391 - 393 Tooronga Road, East Hawthorn

Victoria 3123. Australia

Telephone: (03) 9248 6888

Technical

Information Service: 1800 804 479
Facsimile: (03) 9248 6800
Website: www.bayeres.com.au

Contact: Technical Manager (03) 9248 6888

Emergency

Telephone Number: 1800 033 111 – Orica SH&E Shared Services

2. HAZARDS IDENTIFICATION

HAZARDOUS SUBSTANCE (NOHSC) - NON-DANGEROUS GOODS (ADG CODE)

Limited evidence of carcinogenic effect.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard designation: Hazardous (National Occupational Health and Safety Commission - NOHSC)

Risk phrases: R40 – Limited evidence of a carcinogenic effect.

R50/53 – Very toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Safety phrases: See Sections 4, 5, 6, 7, 8, 10, 13

ADG classification: Not a "Dangerous good" for transport by road or rail according to the Australian Code for

the Transport of Dangerous Goods by Road and Rail. For transport by sea, 3Sixty5 Turf

Fungicide is a MARINE POLLUTANT. See Section 14.

SUSMP Exempt

classification:

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Concentration (g/L):
Iprodione	[36734-19-7]	365
Propylene glycol	[57-55-6]	50.6
Other ingredients	(non hazardous)	~ 800

3Sixty5 Turf Fungicide

Date of Issue: May 19th, 2011



4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Material Safety Data Sheet to a doctor.

Inhalation: Remove victim to fresh air and keep at rest. Seek medical advice if symptoms are

experienced.

Skin contact: Carefully remove contaminated clothing. Wash affected areas with plenty of soap and

water. Seek medical aid if symptoms are experienced.

Eye contact: Immediately irrigate with copious quantities of water, also under the eyelids, for at least 15

minutes. Seek medical assistance as above.

Ingestion: Wash out mouth with water. Do not induce vomiting. Keep patient at rest and seek

medical advice immediately. DO NOT attempt to give anything by mouth to a semi-

conscious or unconscious person.

First Aid facilities: Ensure washing facilities are available, including eye-wash.

Symptoms: Symptoms include nausea, vomiting, abdominal pain and loss of co-ordination.

Medical attention: No specific antidote known. Treat symptoms after decontamination.

5. FIRE FIGHTING MEASURES

Extinguishing media: Extinguish fire use: Waterspray, carbon dioxide, foam, dry agent

Hazards from combustion products:

Toxic compounds of carbon, nitrogen and chlorine may be given off when exposed to

extreme heat or fire.

Precautions for fire

fighters:

Firefighters should wear full protective gear, including self-contained breathing apparatus (AS/NZS 1715/1716). If possible and without risk, remove intact containers from exposure

to fire. Otherwise, spray unopened containers with water to keep cool. Contain fire-fighting water by bunding area with sand or earth to prevent it entering any bodies of water. Dispose of extinguishing agent and spillage safely later. Contamination of water

bodies should be avoided.

6. ACCIDENTAL RELEASE MEASURES

Dealing with spills and disposals may result in the potential for increased personal exposure. Protective clothing and equipment as described in the PERSONAL PROTECTION section should be worn. Avoid contact with spilled material or contaminated surfaces. Contain spill and absorb with earth, sand, clay, or other absorbent material. Sweep up and store in properly labelled, sealed drums for safe disposal. Deal with all spillages immediately. Keep people away. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority. Neutralising chemicals are not needed.

3Sixty5 Turf Fungicide

Date of Issue: May 19th, 2011



7. HANDLING AND STORAGE

Handling: Keep out of reach of children. Avoid contact with the eyes and skin.

Storage: Store in the closed, original container in a cool, well-ventilated area. Do not store for

prolonged periods in direct sunlight. Store in a locked room or place away from children,

animals, food, animal feed, seed and fertilisers. Protect from frost.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards: No exposure standard has been assigned by the National Occupational Health and Safety

Commission (Worksafe Australia) for the product or its ingredients. The Permissible Exposure limit for iprodione set by Bayer CropScience in manufacturing/formulation plants

is 2 mg/m^3 .

Engineering controls: Control process conditions to avoid contact. Use local exhaust ventilation during

manufacture. Use in a well-ventilated area only.

Personal protective

equipment:

To avoid eye and skin contact, wearing the following personal protective clothing and

equipment is recommended:

Eyes: Safety goggles or face shield.

Clothing: Chemical resistant disposable overalls and PVC boots.

Gloves: Chemical resistant PVC or nitrile gloves.
Respiratory: Respiratory protection not normally required.

If airborne concentrations are likely to exceed the exposure standard above, an AS/NZS 1715/1716 approved respirator should be worn.

Other: If product on skin, immediately wash area with soap and water. After

use and before eating, drinking or smoking, wash hands, arms and

face thoroughly with soap and water.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: A viscous, white to off-white suspension

Odour: Negligible odour

Vapour pressure: 5 x 10⁻⁷ Pa at 25 °C

Vapour density: Not available

Boiling point: >100 °C

Freezing/melting

point:

Not available

Solubility: Forms a suspension in water

3Sixty5 Turf Fungicide

Date of Issue: May 19th, 2011

330.2 (technical iprodione) Molecular weight:

1.124 at 25 °C Density: 5.5 to 6.0 pH:

Flash point: Not flammable

Flammability (explosive) limits: Not determined

Auto-ignition temperature:

Not available

Octanol/water

Formulation:

Not available

partition coefficient:

Suspo-emulsion

10. STABILITY AND REACTIVITY

Stable under normal conditions of use. Chemical stability:

Hazardous

No information available.

polymerisation:

Conditions to avoid: Extreme heat.

Incompatible

materials:

Avoid strong acids, bases, and strong oxidising agents. Incompatible with strong alkalis.

Hazardous

decomposition

products:

Toxic compounds of carbon, nitrogen and chlorine may be given off when exposed to

extreme heat or fire.

11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS:

Inhalation: May irritate mucous membranes of nose and mouth.

The dermal toxicity of this product is low, however skin contact should be avoided. Skin contact:

Eye contact: May irritate the eyes.

Product toxicity is low but may be harmful if a large amount is swallowed. Symptoms Ingestion:

include nausea, vomiting, abdominal pain and loss of co-ordination.

Other: None.

3Sixty5 Turf Fungicide

Date of Issue: May 19th, 2011



ANIMAL TOXICITY DATA - PRODUCT:

Acute:

Oral toxicity: LD₅₀ rat: >5000 mg/kg (female rat)

Dermal toxicity: LD₅₀ rat: >4000 mg/kg (male and female rat)

Inhalation toxicity: $LC_{50} > 1776 \text{ mg/m}^3$

Skin irritation: Slightly irritating – rabbit

Eye irritation: Slightly irritating – rabbit

Sensitisation: Not sensitising - guinea pig

Chronic:

Lifetime feeding studies in rodents have shown an increased incidence of tumors in animals treated at the maximum tolerated dose. Iprodione has been classified as a Category 3 carcinogen according to the EU classification. The no observable effect level listed by the Therapeutic Goods Administration for iprodione is 4 mg/kg bw/day. Iprodione was not mutagenic in the Ames assay.

12. ECOLOGICAL INFORMATION

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

Fish toxicity: Technical iprodione:

 LC_{50} (96 hr): 4.1 mg/L rainbow trout LC_{50} (96 hr): 3.7 mg/L bluegill sunfish

Daphnia toxicity: Technical iprodione: EC₅₀ (48 hr): 0.25 mg/L

Toxicity to algae: Technical iprodione: IC₅₀ (72 hr) 15.3 mg/L

Bird toxicity: Technical iprodione:

Acute oral LD₅₀: >2,000 mg/kg bobwhite quail Acute oral LD₅₀: 10,400 mg/kg mallard duck

Bee toxicity: Technical iprodione: Low hazard to bees.

Other: Very toxic to aquatic organisms. Low hazard to earthworms and other beneficial insects.

Environmental fate, persistence and

degradation:

Iprodione is rapidly metabolised in soil.

13. DISPOSAL CONSIDERATIONS

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury empty containers below 500 mm in a disposal pit specifically marked and set up for this

3Sixty5 Turf Fungicide

Date of Issue: May 19th, 2011



purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt. Returnable containers should be taken back to point of supply for refill or storage. Dispose of waste product through a reputable waste contractor.

14. TRANSPORT INFORMATION

ADG

According to AU01, Environmentally Hazardous Substances in packagings, IBCs or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

IMDG

UN-Number 3082
Labels 9
Packaging group III

EmS F-A, S-F

Marine pollutant Marine Pollutant

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(ALKYL (C3-C6) BENZENE SOLUTION)

IATA

UN-Number 3082
Labels 9
Packaging group III

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(ALKYL (C3-C6) BENZENE SOLUTION)

15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Act 1994.

Australian Pesticides and Veterinary Medicines Authority Approval Number: 59278.

16. OTHER INFORMATION

Trademark 3Sxity5™ is a Trademark of Bayer.

information:

Preparation Replaces May 9th, 2011 MSDS.

information: Addition of Technical Information Service telephone number.

Data sources: Bayer CropScience European product safety data sheet.

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user

MATERIAL SAFETY DATA SHEET 3Sixty5 Turf Fungicide



Date of Issue: May 19th, 2011

should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

END OF MSDS